






# LABFACILITY

TEMPERATURE & PROCESS TECHNOLOGY

## Thermocouple Compensating Cable / Wire (IEC) Type U (RCA) (SCA) PVC Insulated Flat Pair for use with type R & S thermocouples - 13/0.2mm



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

**Specifications**
**Specifications**

<b>General Description</b>	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
<b>Cable Length</b>	10, 25, 50, 100m, 200m
<b>Cable Type</b>	Flat pair construction
<b>Core / Strands</b>	13/0.2mm
<b>Conductor Cross Section 13/0.2 (mm<sup>2</sup>)</b>	0.408
<b>Outer Colour</b>	Orange
<b>+ Colour</b>	Orange
<b>- Colour</b>	White
<b>Insulation Material</b>	PVC Insulated
<b>Loop Resistance 13/0.2 (Ohms per combined metre)</b>	0.1
<b>Max. Temperature</b>	105°C
<b>Min. Temperature</b>	-10°C
<b>+ Conductor</b>	Copper
<b>- Conductor</b>	Copper Nickel
<b>Screen</b>	No
<b>Standards Met</b>	Colour code (cores & jacket) to IEC-584-3
<b>Termination Type</b>	U (RCA) (SCA)



# LABFACILITY

TEMPERATURE & PROCESS TECHNOLOGY

<b>Tolerance</b>	Class 2
------------------	---------